



**PRESIDENT OF THE BUREAU  
FOR CHEMICAL SUBSTANCES**

BSCh-DPL.46-9/MG/21-9

## **GOOD LABORATORY PRACTICE CERTIFICATE**

**Registration number: 16/2021/DPL**

Pursuant to article 16 (4) of the Act of 25 February 2011 on the Chemical Substances and their Mixtures (Journal of Laws 2020, item 2289), on the basis of the periodic inspection and verification which were held on May 26-27, 2021 and in accordance with the provisions specified in the Regulation of the Minister of Health of 3 August 2021 on Good Laboratory Practice and Performance of Studies in Compliance with the Principles of Good Laboratory Practice (Journal of Laws 2021, item 1422), as well as in accordance with Directive 2004/9/EC and the relevant OECD documents, it is hereby confirmed that

**ANADIAG SAS  
Oddział w Polsce**

**ul. Sadowa 16/22  
95-100 Zgierz  
Poland**

complies with the OECD and the EU principles of Good Laboratory Practice in the field of:

– **residue studies: field phase.**

The certificate is valid from September 6, 2021.

**GLP Inspectors**

Mariusz Godala (PhD, Eng.)  
(Lead GLP inspector)

Karolina Dubrawska-Gawron (M. Sc.)  
(GLP inspector)



**President of the Bureau  
for Chemical Substances**

Agnieszka Dudra (PhD, Eng.)